

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2279 ✓
 Rec. July 13 1953
 Well No. _____
 Permit No. _____

Do not fill in

Owner Louis Damonte Driller J.C. Faretto & Son
 Address Rt No. 1 Box 466, Reno, Nev. Address 736 Humboldt St., Reno Lic. No. 2
 Location of well: NW 1/4 SW 1/4 Sec. 21, T. 18 N, R. 20 E, in Truckee Meadows, Washoe County
 or about 500 ft north of Brown's School House on old Virginia Road.
 Water will be used for Domestic Total depth of well 63'-06"
 Size of drilled hole 6 inch Weight of casing per linear foot 18.97 lbs.
 Thickness of casing .280 of an inch Temp. of water 58°
 Diameter and length of casing 6" inside diameter, 9'-09" to 13'-07" lengths
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 11'-08"
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well June 16, 1953 Date of completion of well June 19, 1953
 Type of well rig Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	23	23	sandy soil.
23	30	7	1st water. Water level 10'-00". Fine to coarse sand & gravel with soil.
30	40	10	2nd water. Fine to coarse sand & a little gravel with clay.
40	50	10	3rd water. Water level 16'-00". Fine to coarse sand & gravel with clay.
50	64	14	4th water. Water level 11'-08". Medium to coarse sand & a little gravel with soil.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 50 to 64 ft.

Other aquifers 40 to 50

First water at 23 feet.

Casing perforated
 from 53 to 60 ft.

Size of perforations
3/8" x 4"

