

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2346
 Rec. Aug. 17 1953
 Well No. _____
 Permit No. _____
Do not fill in

Owner Dyer School District Driller E. N. Smalley Drilling Co.
 Address Dyer, Nevada Address Dyer, Nevada Lic. No. 143
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 4, T. 3 N/S, R. 30 E, in Esmeralda County
 or _____
 Water will be used for school and domestic Total depth of well 100 ft.
 Size of drilled hole 15 inches Weight of casing per linear foot _____
 Thickness of casing 7 gage Temp. of water well not pumped
 Diameter and length of casing 10" O. D. Top 50 feet, blank. 50 feet perforated
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 26 feet
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 7/28/53 Date of completion of well 8/2/53
 Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	24	24	Surface sand & silt
24	40	16	Silt and Boulders
40	60	20	Medium fine sand
60	80	20	Coarse sand
80	100	20	Coarse to medium sand

Water-bearing Formation, Casing Perforations, Etc.
 Chief aquifer (water-bearing formation)
 from 60 to 100 ft.
 Other aquifers 28 to 60'
water bearing
 First water at 28 feet.
 Casing perforated
 from 50' to 100 ft.
 Size of perforations
1/8"-8R-1" S. 1" C



