


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



2368  
Log No. 2548  
Rec. \_\_\_\_\_ 19\_\_\_\_  
Well No. \_\_\_\_\_  
Permit No. 13509 11200  
*Do not fill in*

*no notice*

Owner Wm. Meikle Driller S. R. McKinney & Son

Address Box 1871, Las Vegas Nev. Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: N 1/4 NW 1/4 Sec. 21., T. 20 N/S, R. 62 E, in Clark County  
or \_\_\_\_\_

Water will be used for D. & I. Total depth of well 205 ft.

Size of drilled hole 12" to 100 ft., 8" to 205 Weight of casing per linear foot 18 lb. & 32 lb.

Thickness of casing 3/16" & 5/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 10" O.D. 100'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 55 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Aug 13, 1953 Date of completion of well Aug 15, 1953

Type of well rig 72 Speed Star Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	graveley clay
8	55	47	white clay
55	65	10	brown clay
65	100	35	sandy clay water
100	205	105	white clay with streaks of sand(water)

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
from 65 100 to 205 ft.

Other aquifers \_\_\_\_\_

---

First water at 65 feet.

Casing perforated  
from None to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_



