

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2420
 Rec. Dec. 4 1953
 Well No.
 Permit No.
Do not fill in

Owner B. B. Payne Driller Lukins Bros.
 Address Yerington, Nevada Address Yerington, Nevada Lic. No. 97
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 13, T. 3 N. 8, R. 25 E, in Lyons County
 or Lot 9 Block A Green Acres Subdivision
 Water will be used for Domestic Total depth of well 60 Ft.
 Size of drilled hole 6" Weight of casing per linear foot.....
 Thickness of casing 12 Gauge Temp. of water.....
 Diameter and length of casing 6" Dia. 4' Joints 60' Length
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 10 Ft.
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well Mar. 5th. 53 Date of completion of well Mar. 7th. 53
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	10		Top Soil	
10	24		Sand & Gravel 1st. water Bearing	Chief aquifer (water-bearing formation) from <u>48</u> to <u>58</u> ft.
24	32		Clay	Other aquifers
32	41		Sand Gravel 2nd Water Bearing	
41	48		Clay	
48	58		Sand Gravel 3rd. Water Bearing	
58	60		Clay	First water at <u>10</u> feet.
				Casing perforated from <u>48</u> to <u>58</u> ft.
				Size of perforations <u>Chisle Slot 1/8"</u>



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6"	0	60	4'	Joints Welded 60 Ft. Sealed in Clay

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Lukins Bros.
 Partner Well Driller
 By Melvin S. Lukins

License No. 97

Dated Mar. 20th., 19 56

(Not to be filled in by Driller)

