

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA



Log No. 20114
 Rec. Jan 26 1934
 Well No. 105
 Permit No. Do not fill in

Owner ^{Feil} JOHN FIEH Basin 105 Driller HARVEY MEYER

Address GARDNERVILLE Address CARSON CITY Lic. No. 10

Location of well: SW 1/4 SW 1/4 Sec. 8, T13N/R18E, in DOUGLAS County
 or 20?

Water will be used for DOMESTIC Total depth of well 111'

Size of drilled hole 6" Weight of casing per linear foot 20 LBS.

Thickness of casing 5/16 Temp. of water COOL

Diameter and length of casing 6" - 111'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 2 GAL PER MIN

If nonflowing well give depth of standing water from surface 0

If flowing well describe control works PIPED OUT IN DITCH
 (Type and size of valve, etc.)

Date of commencement of well DEC. 14 Date of completion of well DEC 23

Type of well rig CABLER TOOLS

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	DARK SANDY CLAY
12	18	6	SAND - SPRAYED WATER
18	33	15	SAND
33	38	5	SANDY CLAY
38	106	68	GRANIT SAND
106	111	5	SPRAYED WATER

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 106 to 111 ft.

Other aquifers

First water at 12' feet.

Casing perforated

from 94 to 111 ft.

Size of perforations

1/8"

LOG OF FORMATIONS—Continued



From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Well will make 1800 GAL PER BRICKING TEST.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Harry Meyer
Well Driller

By Harry Meyer

License No. 10

Dated Dec 23, 1953

(Not to be filled in by Driller)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

