

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2478  
 Rec. Feb. 26 19 54  
 Well No. ....  
 Permit No. ....

*Do not fill in*

Owner U.S. Land Management Driller Mel Meyer Co.  
 Address Derrel S. Fulwider P.O. Box 71 Winn. Nevada Address 120 Moana Lane Lic. No. 3  
 Location of well: 1/4 Sec. 25., T45 N/8, R44 E, in Humboldt County  
 or Flat Creek Well on Burke reseeding  
 Water will be used for Stock Total depth of well 142'.1"  
 Size of drilled hole 8" Weight of casing per linear foot 19.18#  
 Thickness of casing 5/16 Temp. of water Cold  
 Diameter and length of casing 6 5/8 O.D. 142'.1"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface.....  
 If flowing well describe control works.....  
(Type and size of valve, etc.)  
 Date of commencement of well 2/10/54 Date of completion of well 2/12/54  
 Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top soil
4	60	56	Clay & Gravel (Grey)
60	65	5	Clay, Sand, Gravel (Brown)
65	100	35	Clay, Sand, Gravel (Brown)
100	123	23	Clay, Sand, Gravel
123	125	2	Gravel (Small)
125	142	17	Clay & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 123 to 142 ft.

Other aquifers.....

First water at 123 feet.

Casing perforated

from 100 to 140 ft.

Size of perforations

4x1/8"



