

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 2494  
 Rec. Mar. 15 1954  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner The Garden Motel Driller Mel Meyer

Address Fernley, Nevada Address 120 Moana Lane Lic. No. 3

Location of well: NW 1/4 NW 1/4 Sec. 12, T. 20 N, R. 21 E in LYON County

or .....

Water will be used for Replacement of old existing well-Motel Total depth of well 32'

Size of drilled hole 6" Weight of casing per linear foot 16#

Thickness of casing 3/16" Temp. of water Cold

Diameter and length of casing 6" x 32'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 12'

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well March 8, 1954 Date of completion of well March 8, 1954

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	18	13	Sand
18	20	2	Sand-Clay
20	30	10	Sand-Water
30	32	2	Sanded Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 20 to 30 ft.

Other aquifers .....

First water at 20 feet.

Casing perforated

from 20 to 30 ft.

Size of perforations

1/8" x 4"







