Also 2566

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2519
Rec. April 5 19 54
Well No.
Permit No. 12700
Do not fill in

Owner Frank Buol Driller H. V. Wormser

Address Pahrump, Nevada Address Pahrump, Nevada Lic. No.

Location of well: SE¼ NE¼ Sec. 15, T20S, R53E, in Nye County

or

Water will be used for Irrigation, Domestic Total depth of well 435'

Size of drilled hole 7½" Weight of casing per linear foot

Thickness of casing Temp. of water

Diameter and length of casing 8" O.D.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 75 gal p.m.

If nonflowing well give depth of standing water from surface

If flowing well describe control works 3" Valve and 430 feet 3" pipe
(Type and size of valve, etc.)

Date of commencement of well 9-9-53 Date of completion of well Nov 1st 53

Type of well rig 71 Star, cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
350'	415'	65'	clay with gravel
415'	435'	20'	Loose clay with gravel, with water bearing black sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 415' to 435' ft.

Other aquifers

First water at feet.

Casing perforated

from to ft.

Size of perforations

E2

(OVER)

919

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed H. V. Weimer
Well Driller

By .....

License No. .....

11-9, 19 53

(Not to be filled in by Driller)

OFFICE STATE ENGINEER
DR-554
RECEIVED
AM