

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT


This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *John Chapman*
Well Driller

By.....

License No.....

Dated....., 194.....



(Not to be filled in by Driller)

**WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA**

Log No. 2594
 Rec. 6/18 1948
 Well No.
 Permit No.

Owner C P Wells Driller John Champion
 Address Purdy Highway Address Lic. No. 29
 Location of well: 20 1/4 Sec. 35, T. 22 N/S, R. 12 E, in Washoe County
 or Behind Branding Iron Bar
 Water will be used for Domestic Total depth of well 110'
 Size of drilled hole 6" Weight of casing per linear foot
 Thickness of casing standard Blk Temp. of water
 Diameter and length of casing 6" 92'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 55'
 If flowing well describe control works
 (Type and size of valve, etc.)
 Date of commencement of well July 29-53 Date of completion of well July 31-53
 Type of well rig Becker's Erie

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	30		Yellow clay	
30	32		Gravel	Chief aquifer (water-bearing formation)
32	55		Blue clay & gravel	from to ft.
55	90		" " "	Other aquifers
90	100		broken blue shale
100	105		" " "
105	110		Blue clay & gravel
				First water at <u>55'</u> feet.
				Casing perforated from <u>72</u> to <u>92</u> ft.
				Size of perforations <u>1/4 x 4</u>