

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2663  
 Rec. July 23 19 54  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Max E. Conrad Driller Fred Erb  
 Address Fallon, Nev. Address East Star St. Fallon, Nev. Lic. No. 121

Location of well: S.E. 1/4 S.W. 1/4 Sec. 23., T. 19. N/S, R. 30. E. in Churchill County

Water will be used for domestic Total depth of well 17 ft.

Size of drilled hole 6 inch Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 20 gauge galvanized Temp. of water 60°

Diameter and length of casing 6 inch casing 17 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 5 feet

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well July 10-54 Date of completion of well July 11-1954

Type of well rig Cable Tool rig

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	adobe
5	12	7	Sand
12	13	1	Strick of sand & adobe
13	17	4	Sand

Water-bearing Formation, Casing Perforations, Etc.  
Sand

Chief aquifer (water-bearing formation)  
 from 13 to 17 ft.

Other aquifers \_\_\_\_\_

First water at 5 feet.

Casing perforated  
 from 9 to 17 ft.

Size of perforations  
1 X 1/4 in



