

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2693  
 Recd. Aug 16 1954  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner John Palady Driller Harvey Meyer

Address King Bury Graid Address Carson City, Nevada Lic. No. 10

Location of well: SE 1/4 SE 1/4 Sec. 11., T. 12 N. 8, R. 13 E, in Douglas County  
 or \_\_\_\_\_

Water will be used for Domestic Total depth of well 75 feet

Size of drilled hole 10 inch Weight of casing per linear foot 40 lbs.

Thickness of casing 1/2 inch Temp. of water Cold

Diameter and length of casing 10 inch, 31 feet  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 8 ft.

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well July 2, 1954 Date of completion of well July 14, 1954

Type of well rig Cable Tools

### LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material           |
|-----------|---------|----------------|----------------------------|
| 0         | 4       | 4              | Dark Sandy Loom            |
| 4         | 10      | 6              | Sandy Clay                 |
| 10        | 40      | 30             | Sandy Garnit <i>WATER.</i> |
| 40        | 75      | 35             | Hard Granit                |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 10 to 40 ft.

Other aquifers \_\_\_\_\_

First water at 10 feet.

Casing perforated from 0 to 0 ft.

Size of perforations

0000000000

