

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2746
 Rec. Oct 13 19 54
 Well No.
 Permit No.
Do not fill in

Owner U.S. Bureau of Land Management Driller Mel Mayer Company

Address 1001 NE Lloyd Blvd. Portland 3, Oregon Address 190 Moana Lane Lic. No. 3

Location of well: 1/4-1/4 Sec. 15, T. 38. N. 18, R. 18. E, in Washoe County
 or Indian Trail Well

Water will be used for Range stock Total depth of well 111'

Size of drilled hole 3" Weight of casing per linear foot 13# per

Thickness of casing 3/16" Temp. of water warm

Diameter and length of casing 6 5/8" x 111 1/2'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 38'

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well 9/24/54 Date of completion of well 9/25/54

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Boulders & sand
4	68	64	Sand, clay & gravel
68	85	17	Sand & rocks
85	89	4	Sand & rocks
89	111	22	Sand, gravel & clay

Well sanded up from 111' to 106' * total of 5'.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from to ft.

Other aquifers.....

Little water at 68' -

more at 80'

First water at 68 feet.

Casing perforated

from 69 to 109 ft.

Size of perforations

3/16" x 6"

