

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2748  
 Rec. Oct 18 1957  
 Well No. ....  
 Permit No. ....

*Do not fill in*

Owner U.S. Bureau of Land Management Driller Holbrook Company

Address 1001 W. Lloyd Blvd. Portland, Ore. Address 100 Adams Lane - Reno Lic. No. 3

Location of well: SW 1/4 NW 1/4 Sec. 2., T.27N/S, R.10E, in Washoe County  
 or Public Domain Well

Water will be used for Raise stock Total depth of well 103'

Size of drilled hole 3" Weight of casing per linear foot 13.4 lbs

Thickness of casing 3/16" Temp. of water warm

Diameter and length of casing 5/8" x 103'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works.....  
 (Type and size of valve, etc.)

Date of commencement of well 9/20/57 Date of completion of well 9/21/57

Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30	30	Silt
30	33	3	"
33	34	1	Sand & silt
34	101	67	Trachyte
101	103	2	Solid rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 34 to 101 ft.

Other aquifers.....

First water at 34 feet.

Casing perforated

from 30 to 101 ft.

Size of perforations

3/16" x 12"



