

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2750
 Rec. Oct. 13 1954
 Well No.
 Permit No.

Do not fill in

Owner U.S. Bureau of Land Management Driller Mal Meyer Company

Address 1001 NE. Lloyd Blvd. Portland 8, Oregon Address 190 Moana Lane Reno Lic. No. 3

Location of well: SW 1/4 1/4 Sec. 4, T38 N/S, R. 18 E, in Washoe County
 or LEWIS WELL

Water will be used for Range stock Total depth of well 224'

Size of drilled hole 8" Weight of casing per linear foot 13# per

Thickness of casing 3/16" Temp. of water cold

Diameter and length of casing 6 5/8" OD x 225'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 130'

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well 9/24/54 Date of completion of well 10/1/54

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	11	11	Rock & clay
11	20	9	Pink clay
20	53	33	Pink clay
53	74	21	Broken rock - brown
74	90	16	Rock - grey
90	135	45	Broken rock & grey
135	140	5	Gravel & black mud
140	143	3	Gravel & black mud
143	160	17	Grey rock -
160	167	7	Grey rock -
167	178	11	Red rock
178	180	2	Grey rock
180	193	13	Grey rock
193	205	12	Red rock
205	207	2	Red rock
207	224	17	Grey rock -

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 143 to 167 ft.

Other aquifers.....

207' to 224'

First water at 143 feet.

Casing perforated

from 204 to 224 ft.

Size of perforations

3/16" x 6 5/8"

