

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2771
 Rec. Nov 8 1954
 Well No. 1
 Permit No. perhaps app. 435
65386 Do not

Owner Freel Lytle Driller Warell Free
 Address Rioche, Nevada Address Rioche, Nevada Lic. No. 30
 Location of well: S.E. 1/4 S.W. 1/4 Sec. 16, T. 1 N/S, R. 19 E. in Lincoln County
 or _____
 Water will be used for Ordinary + Stock Total depth of well 47' 8"
 Size of drilled hole 6" Weight of casing per linear foot _____
 Thickness of casing _____ Temp. of water _____
 Diameter and length of casing 6" 33' 8"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 26'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well October 26, 1954 Date of completion of well October 27, 1954
 Type of well rig Churn Drill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	26	26	Sandy silt sand dug
26	47' 8"	21' 8"	Stratified sand + gravel

Diagram details:
 - Surface level
 - 4 feet Rocked (above casing)
 - Salvaged 24 in (above casing)
 - 6 in (casing thickness)
 - 10 ft (casing depth)
 - 20 ft (casing depth)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 26 to 47 ft.

Other aquifers _____

First water at 26 feet.

Casing perforated
 from 26 to 47' 8" ft.

Size of perforations
1/8 x 12"

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT


This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed _____
Well Driller

By Danell Free

License No. 02

Dated Nov 5, 1954



(Not to be filled in by Driller)
