

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2783
 Rec. Nov. 29 1954
 Well No.
 Permit No.

Do not fill in

Owner Max E. Conrad Driller Fred E. Lab
 Address East Star Rt. Fallon Nev. Address East Star Rt. Fallon Nev. Lic. No. 121

Location of well: S.E. 1/4 S.W. 1/4 Sec. 23, T. 19. N/S, R. 32. E, in Churchill County
 or

Water will be used for domestic Total depth of well 14 feet

Size of drilled hole 6 inch Weight of casing per linear foot

Thickness of casing 20 gauge Galvanized Temp. of water 62°

Diameter and length of casing 6 inch casing 14 feet long
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 6 feet

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well Oct. 25-54 Date of completion of well Oct 29, 1954

Type of well rig Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	adobe
6	12	6	Sand
12	14	2	adobe

Water-bearing Formation, Casing Perforations, Etc.

Sand

Chief aquifer (water-bearing formation)

from 6 to 12 ft.

Other aquifers

First water at 6 feet.

Casing perforated

from 8 to 14 ft.

Size of perforations

1 in by 1/4 in



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD.

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6 in	0	14	14 ft.	20 gauge Galvanized casing & screened cap.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Pump test about 500 gallons per hour

WELL DRILLER'S STATEMENT


This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *Fred Erb*
Well Driller

By *Fred Erb*

License No. *1021*

Dated *Oct 30*, 19*37*



(Not to be filled in by Driller)

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....