

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2805  
 Rec. Dec. 8 1954  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Chester Barton Driller Bob Meyer  
 Address Daytonn, Nevada Address Carson City, Nevada Lic. No. 10  
 Location of well: SE 1/4 NW 1/4 Sec 22, T. 16 N/S, R. 21 E, in Lyon County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 72 feet  
 Size of drilled hole 6 inch Weight of casing per linear foot 13 lbs  
 Thickness of casing 3/16 Temp. of water Cool  
 Diameter and length of casing 6 inch-----72 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing  
 If nonflowing well give depth of standing water from surface 20 feet  
 If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)  
 Date of commencement of well November 12, 1954 Date of completion of well November 17, 1954  
 Type of well rig Calbe Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Rock & Clay
20	40	20	Water Sand & Rock
40	65	25	Sand
65	72	7	Water Sand

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 65 to 72 ft.

Other aquifers.....

20 ----- 40

---

First water at 20 feet.

Casing perforated.

from 52 to 72 ft.

Size of perforations

1/8 inch, 6 inches log



