

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

Well # 2

Log No. 2834
Rec. Jan. 17 1953
Well No.
Permit No. 13103
Do not fill in

Owner H. E. Hanson Driller H. E. Hanson

Address Fish Lake Valley Address Tonopah Lic. No. 113

Location of well: S.W. 1/4 NE 1/4 Sec. 21, T. 25 N/S, R. 35 E, in Esmeralda Cour

Water will be used for domestic + irrigation Total depth of well 100'

Size of drilled hole 10" Weight of casing per linear foot

Thickness of casing 14 gauge Temp. of water 66°

Diameter and length of casing 8" 100'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 71'

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 1953 Date of completion of well 1953

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	75	75	Clay + Rocks
75	100	25	Cobbles + Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 75 to 100 ft.

Other aquifers

First water at 75 feet.

Casing perforated
from 70 to 98 ft.

Size of perforations
1/4 x 1 1/2

