

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2847  
 Rec. Mar. 1 19 55  
 Well No. ....  
 Permit No. ....

*Do not fill in*

Owner Paul Mueller Jr. Driller E. J. Thomas  
 Address Fallon, Nev. Address Fallon, Nev. Lic. No. 184

Location of well: N. 1/4 SE 1/4 Sec. 5, T. 18 N. R. 29 E. in Churchill County

Water will be used for Household Purpose Total depth of well 27 ft

Size of drilled hole 8 1/2" I.D. Weight of casing per linear foot .....

Thickness of casing Standard casing Temp. of water .....

Diameter and length of casing .....

(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 10 ft

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well Feb. 3, 55 Date of completion of well Feb. 8, 55

Type of well rig Standard

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
			<u>8 ft Top soil</u>
			<u>5 ft clay</u>
			<u>7 ft sand &amp; gravel</u>
			<u>3 ft clay</u>
			<u>7 ft water gravel</u>
			<u>clay - casing (standard) on</u>

**Water-bearing Formation, Casing Perforations, Etc.**

---

Chief aquifer (water-bearing formation)

from 20 ft to 27 ft ft.

Other aquifers .....

---

First water at 3 ft feet.

---

Casing perforated

from 19 ft to 27 ft ft.

---

Size of perforations

apron about the thickness of a dime





PAUL PRUDLER, Jr.  
 Contract Building  
 FALLON, NEVADA

400 N OF SE corner. of sec. 5 T4N. 14E. R. 15  
 Range 29. to Point of beginning Home. 350 FT  
 turning north Distance of 250 ft Parabolic section  
 line then west 350 ft Home south along base line  
 250 ft to Point of Beginning.

