

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT


This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed
Well Driller

By.....

License No.

Dated....., 19.....



(Not to be filled in by Driller)

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2858
 Rec. Mar 11 1955
 Well No.
 Permit No.

Do not fill in

Owner F.M. Doolittle Driller Mel Meyer Company - L. Smith & C. Pulati

Address Wedekin Road - Reno, Nevada Address 190 Moana Lane - Reno, Nev. Lic. No. 3

Location of well: 1/4 Sec. 1, T. N/S, R. E, in Washoe County

Water will be used for Home use Total depth of well 82'

Size of drilled hole 8" Weight of casing per linear foot

Thickness of casing

Temp. of water cold

Diameter and length of casing 8" x 52'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 40 feet

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 2/24/55 Date of completion of well 2/28/55

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
47	75	28	Broken rock
75	82	7	Rock
D E E P E N I N G O F E X I S T I N G W E L L			

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 67 to 82 ft.

Other aquifers

First water at feet.

Casing perforated

from to ft.

Size of perforations

