

WELL LOG AND REPORT TO THE STATE

ENGINEER OF NEVADA

EAGLE SPRINGS UNIT 1, WATER WELL #1


Log No. 2969

Rec. May 19 1955

Well No. _____

Permit No. 16728

Do not fill in



Owner Shell Oil Company Driller J. D. Hill

Address 33 Richards St., Salt Lake City, Utah Address Ely, Nevada Lic. No. _____

Location of well: NE 1/4 NW 1/4 Sec. 35, T. 9 N/8, R. 57 E, in Nye County _____

or 1262' S. and 3086' W. from NE corner, Sec. 35 Elevation 4753.35 (ground)

Water ~~will be~~ ^{is being} used for oil well pumping operations Total depth of well 60'

Size of drilled hole 8" Weight of casing per linear foot -

Thickness of casing - Temp. of water -

Diameter and length of casing 5" casing hung at 60'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure -

If nonflowing well give depth of standing water from surface 15'

If flowing well describe control works -
(Type and size of valve, etc.)

Date of commencement of well December 17, 1953 Date of completion of well December 19, 1953

Type of well rig Cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	50'	50'	50% <u>sand</u> , silt to gravel, all colors, angular and sub-rounded. 25% <u>siltstone</u> , variegated, soft very calcareous. 25% <u>miscellaneous</u> rock and pebbles.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 40 to 60 ft.

Other aquifers _____

First water at - feet.

Field Casing/perforated

from 40 to 60 ft.

Size of perforations

1/4" x 2" slots

