

Should be 20N/19E Sec. 9 2.

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2997
 Rec. June 10 1955
 Well No.
 Permit No.
Do not fill in

Owner Davis Fisher Driller J. W. Cunningham

Address Black Springs, Nevada Address Reno, Nevada Lic. No. 180

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 4, T19N/S, R19E, in Washoe County

or

Water will be used for Domestic Total depth of well 180 Feet

Size of drilled hole 6" Weight of casing per linear foot 11 Pounds

Thickness of casing Three Sixteenths Temp. of water 40

Diameter and length of casing Six & Five Eighths, 10 Foot Lengths
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 120 Feet

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well May 25, 1955 Date of completion of well June 4th

Type of well rig Keystone

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	150	150	Clay
150	180	30	Sand & Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 150 to 180 ft.

Other aquifers.....

First water at..... feet.

Casing perforated
 from 150 to 180 ft.

Size of perforations
1 X 3"