


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3018  
 Rec. June 23, 1955  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_



Owner National Park Service Driller MOBILITY PERFORMING SERVICE  
 Address Lake Road Area Address Las Vegas, Nevada Lic. No. 132  
 Location of well: SW 1/4 SW 1/4 Sec. 14, T. 22N/S, R. 64E, in Clark County  
 or SW Corner of Lake Road Camp Ground, Boulder Beach.  
 Water will be used for \_\_\_\_\_ Total depth of well 200 ft.  
 Size of drilled hole 12" & 6" Weight of casing per linear foot 15.7 lbs. & 21.7 lbs. respect.  
 Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_  
 Diameter and length of casing 12" x 55' and 6" x 201'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 15 feet from surface  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well June 3, 1955 Date of completion of well June 15, 1955  
 Type of well rig cable

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	200	200'	<u>lime &amp; Sandstone gravel</u>	Chief aquifer (water-bearing formation) from <u>113</u> to <u>200</u> ft. Other aquifers _____ _____ _____ First water at <u>113</u> feet. Casing perforated from <u>104</u> to <u>200</u> ft. Size of perforations <u>1/8" x 6" 5 rows</u>

(OVER)



