


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3034  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. 15654  
*Do not fill in*

*Broad Acres Inc*

Owner Frullo Bros (Desert Palms Tr. Pk.) Driller S. R. McKinney & Son

Address Salt Lake Hi Way Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: SE 1/4 NE 1/4 Sec 13, T20 N/S, R6 E, in \_\_\_\_\_ County  
 or \_\_\_\_\_

Water will be used for domestic Total depth of well 200 ft.

Size of drilled hole 10" to 55 ft, 8" to 200 ft Weight of casing per linear foot 28 lb.

Thickness of casing 5/16" Temp. of water \_\_\_\_\_

Diameter and length of casing 8" I.D. to 58 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 43 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Aug. 5, 1953 Date of completion of well Aug. 7, 1953

Type of well rig Bucyrus Erie 24 L, Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	brown clay
25	30	5	white clay
30	40	10	brown clay
40	46	6	red sand and gravel
46	50	4	gravel water
50	65	15	red clay
65	85	20	white clay
85	90	5	red clay
90	110	20	white clay
110	120	10	red sandy clay
120	125	5	red sand water
125	140	15	red sandy clay
140	150	10	red sand water
150	170	20	white clay
170	180	10	red clay
180	190	10	red sand water
190	200	10	red sandy clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 180 to 190 ft.

Other aquifers 140 to 150  
120 to 125

First water at 46 feet.

Casing perforated  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_

NATURE SAVER™ FAX MEMO 01616

Date <u>7-30-98</u>	# of pages <u>1</u>
To <u>Boyd</u>	From <u>DEAN</u>
Co./Dept.	Co.
Phone #	Phone #
Fax # <u>361-8187</u>	Fax #

