

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

U. S. Department of the Interior
Bureau of Land Management

Owner 1001 N. E. Lloyd Boulevard
Portland 8, Oregon

Driller Mel Meyer Company

Address Davis B. B. Well Nevada

Address 190 Moana Lane

Lic. No. 3

Location of well: 1/4 SE 1/4 Sec. 32, T. 42N/8, R. 24E, in Humboldt County
Surprise and Long Valley areas easterly from Cedarville, California in both Nevada
or and Calif. ~~Maximum distance from Cedarville is 47 miles.~~

Water will be used for Stock Total depth of well 363 Ft.

Size of drilled hole 8 1/2 Weight of casing per linear foot _____

Thickness of casing None in Well Temp. of water Cold

Diameter and length of casing _____
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 6/12/55 & 6/20/55 Date of completion of well 6/26 & 6/27/55

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	28	28	Hard Clay
28	33	61	Sandstone
61	23	84	Bentnite
84	19	103	Soft Sand Stone
103	20	123	Hard Sand Stone
123	62	185	" " " Grey
185	6	191	" " " Brown
191	59	250	Hard Grey Rock
250	40	290	Soft Sand Stone
290	55	345	Brown " "
345	4	349	Grey " "
349	14	363	Loose Gravel Very little water
			Solid Grey Rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from _____ to _____ ft.

Other aquifers _____

First water at _____ feet.

Casing perforated

from _____ to _____ ft.

Size of perforations _____

