

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3116  
 Rec. Aug. 29 1955  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner ED MALLEY Driller CHANDA DRILLING CO.  
 Address CRYSTAL BAY, NEVADA Address KINGS BEACH, CALIF. Lic. No. 85  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 22, T. 16 N/S, R. 18 E, in WYANDOTTE County  
 or LOT 12 INCLINE PARK SUBDIVISION, CRYSTAL BAY, NEV.  
 Water will be used for DOMESTIC Total depth of well 100 FT.  
 Size of drilled hole 8" Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 10 GA Temp. of water COLD  
 Diameter and length of casing 8" DIA. 100 FT LONG  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 48 FT  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well 8/1/55 Date of completion of well 8/6/55  
 Type of well rig CABLE

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	51	51	SAND & CLAY PACKED
51	99	48	LOOSE WATER BEARING SAND
100	?	1	HARD FORMATION

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 51 to 99 ft.

Other aquifers \_\_\_\_\_

First water at 51 feet.

Casing perforated from 75 to 100 ft.

Size of perforations

1/2 x 1/4



