

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3164
 Rec. Sept. 23 19 55
 Well No. ✓
 Permit No. 20108 ✓
 Do not fill in ✓

Owner H. S. Chisholm Driller J. N. Pitcher (Lee Smith)
 Address Reno Nev. Address Reno Nev Lic. No. 208

Location of well: SE 22 1/4 22 1/4 Sec. 23, T. 2 N/S, R. 19 E, in Washoe County
 or.....

Water will be used for Domestic Com Total depth of well 200 ft.

Size of drilled hole 10" Weight of casing per linear foot 19 lbs.
3/16 inch.

Thickness of casing..... Temp. of water approx 58° F

Diameter and length of casing 180 ft, 8 1/16"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure..... Bailed at 90 GPM Drawdown 100'

If nonflowing well give depth of standing water from surface..... Static water level 20'

If flowing well describe control works none
 (Type and size of valve, etc.)

Date of commencement of well 7/27/55 Date of completion of well 8/10/55

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0'	20'	20'	Red clay, fine sand and gravel
20'	40'	20'	grey clay & gravel
40'	87'	47'	brown & broken rock
87'	97'	10'	red broken rock
97'	100'	3'	white lime rock
100'	107'	7'	brown rock
107'	200'	93'	blue lime rock

All making water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 107' to 200' ft.

Other aquifers.....

First water at 40 feet.

Casing perforated

from 100' to 180' ft.

Size of perforations

1/8 X 5"

Met Meyer

TEST PUMPING.

WELL OF.


started 10-14-52
ended 10-18-52

MEMORY GARDON'S OF NEUNDIA.

WATER level.	R.P.M.	G.P.M.
120	0	0
134'3"	1750	190
138'5"	2000	250.
140'10"	2400	350.
144'9"	3000	400 G.P.M.
140'8"	1850	275.
134'4"	0	0 5 Hrs. No Pumping

This well Pumped No. SAND.

Test Pumped 78 HRS.



9 ft. of 4\"/>

4\"/>