

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 3179
 Rec. Sept. 24 1955
 Well No. 10
 Permit No. Do not fill in

Owner Ed Gnadig & C. D. Stanton Driller Harvey & Bob Meyer
 Address 2006 Prater Way Sparks, Nevada Address Carson City, Nevada Lic. No. 209
 Location of well: NE 1/4 SE 1/4 Sec. 9, T. 20 N/S, R. 19 E, in Washoe County
 or Stead Air Base Road, Reno, Nevada
 Water will be used for: Domestic Total depth of well 153 feet
 Size of drilled hole: 6 inch Weight of casing per linear foot 17 lbs
 Thickness of casing 3/16 " Temp. of water Cool
 Diameter and length of casing 6" ID, 153 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing
 If nonflowing well give depth of standing water from surface 55 feet
 If flowing well describe control works Not Flowing
(Type and size of valve, etc.)
 Date of commencement of well August 16, 1955 Date of completion of well August 19, 1955
 Type of well rig 72 Speed Star Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	70	70	Clay & Rock
70	76	6	XX Rock w/ water
76	90	24	Sandy Clay
90	153	63	Clay & Rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 70 to 76 ft.
 Other aquifers None
 First water at 70 feet.
 Casing perforated
 from 65 to 153 ft.
 Size of perforations
1/8" X 1/4"

