

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. <u>3264</u>
Rec. <u>Dec 19</u> 19 <u>55</u>
Well No. ....
Permit No. ....

Do not fill in

Owner Mr. R. F. Raymond Driller Harvey Meyer

Address Washoe Valley, Nevada Address Carson City, Nevada Lic. No. 10

Location of well: NW 1/4 NW 1/4 Sec. 3, T. 16 N/S, R. 19 E, in Washoe County  
 or Ramond Ranch, Washoe Valley, Nevada

Water will be used for Stock Total depth of well 118 feet

Size of drilled hole 6 Inch Weight of casing per linear foot 13 lbs

Thickness of casing 3/16" Temp. of water Cool

Diameter and length of casing 6" --- 120 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 20 gal. per min.

If nonflowing well give depth of standing water from surface Flowing

If flowing well describe control works None, Flowing into Stock Watering Trough  
(Type and size of valve, etc.)

Date of commencement of well November 2, 1955 Date of completion of well November 9, 1955

Type of well rig 72 Speed Star, Cable Tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Sand & Clay
5	10	5	Sand
10	20	10	Sand & Clay
20	25	5	Water Sand
25	110	85	Sand & Clay
110	118	8	Sand, Water Sand

**HARVEY & BOB MEYER  
DRILLING CONTRACTORS  
CARSON CITY, NEVADA**

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 110 to 118 ft.

Other aquifers.....

20 --- 110

---

First water at 20 feet.

Casing perforated

from 100 to 120 ft.

Size of perforations

1/8" X 6"



