

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3325  
 Rec. Feb. 10 1956  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Mr. J. R. Gettys Driller Bob Meyer

Address Box 299 Carson City, Nevada Address Carson City, Nevada Lic. No. 209

Location of well: NE 1/4 SE 1/4 Sec. 27, T18 N/S, R. 19 E, in ~~Carson City~~ WASHOE County  
 or \_\_\_\_\_

Water will be used for Domestic Total depth of well 100' 7"

Size of drilled hole 8 inch Weight of casing per linear foot 18 lbs

Thickness of casing 3/16" Temp. of water Cold

Diameter and length of casing 8" ID, 100' 7"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 45 Feet

If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)

Date of commencement of well January 9, 1956 Date of completion of well January 11, 1956

Type of well rig 71 Speed Star, Cable Tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Sand
7	51	44	Sand & Clay
44	80	36	Course Sand
80	100	20	Sa nd & Gravel

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 80 ft to 100 ft.

Other aquifers.....  
54 ft ---- 65 ft

---

First water at 54 feet.

Casing perforated  
 from 70 ft to 100 ft.

Size of perforations  
1/8" X 6"



