

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3379
 Rec. April 18 1956
 Well No.
 Permit No.
Do not fill in

United States Department of Interior
 Owner Bureau of Land Management Driller George W. Norcutt
 Address Carson City, Nevada Address Fallon, Nevada Lic. No. 93
 Location of well: SE 1/4 NE 1/4 Sec. 9^{10?}, T.15 N/E, R.26 E, in Lyon County
 or.....
 Water will be used for Stock Water Total depth of well 103 Feet
 Size of drilled hole 8 Inch Weight of casing per linear foot 20 pounds
 Thickness of casing 3/16 Inch. Temp. of water --
 Diameter and length of casing 6 Inch 98 Feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure --
 If nonflowing well give depth of standing water from surface 64 Feet
 If flowing well describe control works --
 (Type and size of valve, etc.)
 Date of commencement of well December 6, 1955 Date of completion of well December 16, 1955.
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Hard Pan
8	21	13	Sticky Clay
21	84	63	Fine Sand
84	89	5	Clay
89	98	9	Sand Stone
98	103	5	Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 98 to 103 ft.
 Other aquifers 64 Feet to 84 Feet,

First water at 64 feet.

Casing perforated
 from 88 to 98 ft.

Size of perforations
1/8 Inches X 3 Inches.



