

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA



Log No. 3470  
Rec. July 2 1956  
Well No.  
Permit No.

Owner Clarence Goodsell Driller J.C. Faretto & Son  
Address 4000 W 4th St, Reno, Nev Address 736 Humboldt St, Reno Lic. No. 2  
Location of well: SW 1/4 NE 1/4 Sec. 16, T. 19 N, R. 19 E, in Truckee Meadows, Washoe County  
or about 2 1/2 miles west from the center of Reno on Hwy 40 west.  
Water will be used for Domestic Total depth of well 31'-00"  
Size of drilled hole 6 inch Weight of casing per linear foot 18.97 Lbs  
Thickness of casing 280 of an inch Temp. of water 59°  
Diameter and length of casing 6" inside diam. 9'-07" to 10'-01" lengths  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
If flowing well give flow in c.f.s. or g.p.m. and pressure  
If nonflowing well give depth of standing water from surface 3'-09"  
If flowing well describe control works  
(Type and size of valve, etc.)  
Date of commencement of well June 13, 1956 Date of completion of well June 18, 1956  
Type of well rig Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Soil, coarse sand & gravel.
6	10	4	1st. water, Water level 5'-00". Little water.
10	15	5	Yellow clay with rocks.
15	26	11	2nd water, Yellow clay bolders, rocks & coarse sand.
26	30	4	Yellow clay bolders, rocks & coarse sand.
30	32	2	3rd water. Water, Rocks, bolders, coarse sand & gravel.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 30 to 32 ft.

Other aquifers

First water at 6 feet.

Casing perforated

from to ft.

Size of perforations



