

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2511  
 Rec. Aug. 6. 1956  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner... W. J. Nesbitt Ph 5-3492 Driller... Harvey Meyer  
 Address... 2001 Plater Way Address... 306 Bath St. Carson City Lic. No. 10  
 Location of well: ...  $\frac{1}{4}$  ...  $\frac{1}{4}$  Sec. 7<sup>18</sup>, T. 18 N/8, R. 50 E, in... Washoe County  
 or... Block 3, Lot E, Sierra Manor Subdivision, Reno, Nevada  
 Water will be used for... Domestic Total depth of well... 115 $\frac{1}{2}$  feet  
 Size of drilled hole... 6 Inch Weight of casing per linear foot... 13 lbs  
 Thickness of casing... 3/16" Temp. of water... Cook  
 Diameter and length of casing... 6" ID, 115 $\frac{1}{2}$  feet  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure... Not Flowing  
 If nonflowing well give depth of standing water from surface... 18 feet  
 If flowing well describe control works... Not Flowing  
 (Type and size of valve, etc.)  
 Date of commencement of well... July 23, 1956 Date of completion of well... July 26, 1956  
 Type of well rig... 72 Speed Star, Cable Tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Hard Pan
3	18	15	Sandy Clay
18	23	5	Water Sand
23	75	42	Sandy Clay
75	78,	3	Rock
78	115 $\frac{1}{2}$	37	Sand & Rock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 75 to 115 ft.

Other aquifers...  
18 ft to 23 ft

---

First water at... 18 feet.

Casing perforated  
 from 90 to 115 ft.

Size of perforations  
1/8" X 6"



