

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 3540  
 Rec. Sept. 27, 1956  
 Well No. ✓  
 Permit No. \_\_\_\_\_

Do not fill in

Owner H. A. Hughes Driller J. W. Cunningham  
 Address Hobcomb Lane Address RENO Nevada Lic. No. 190

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 32 T. 18 N/S, R. 20 E, in Washoe County  
 or Rt. 1 Box 844

Water will be used for Domestic Total depth of well 205 feet

Size of drilled hole 6" Weight of casing per linear foot 12 pounds

Thickness of casing  $\frac{3}{8}$ " Temp. of water Cold

Diameter and length of casing Random lengths 6"  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 115 feet

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well June 29<sup>th</sup> Date of completion of well August 1, 1956

Type of well rig Keystone

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	32	32	Boulders
32	84	52	Clay
84	205	121	Clay with Strata of Granite Rock.

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

---

First water at 125 feet.

Casing perforated  
 from 150 to 205 ft.

Size of perforations  $\frac{1}{4}$ "



