

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3547  
 Rec. Oct 10 1956  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner GAMBLE RANCHES INC. Driller BOLEY, HENRY, WEECH  
 Address MONTELLO, NEV. Address MURTAUGH, IDAHO Lic. No. 240  
 Location of well:  $\frac{1}{4}$ ..... $\frac{1}{4}$  Sec. 9, T. 41N/8, R. 69E, in ELKO County  
 or \_\_\_\_\_  
 Water will be used for IRRIGATION Total depth of well 197'  
 Size of drilled hole 14" Weight of casing per linear foot 38 LB.  
 Thickness of casing  $\frac{3}{8}$ " Temp. of water COLD  
 Diameter and length of casing 14" O.D. X 197'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 38'  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well SEPT 17, 1956 Date of completion of well SEPT 27, 1956  
 Type of well rig SPUDDER

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	60	60	TAN CLAY & ROCKS
60	157	97	GRAVEL
157	197	40	GRAVEL & BROWN CLAY

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 60' to 157' ft.

Other aquifers \_\_\_\_\_  
NONE

---

First water at 60 feet.

Casing perforated  
 from 60 to 104 ft.

Size of perforations  
3/8" x 3"



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	Remarks—Seals, Grouting, Etc.
14" O.D.	0	197	197	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

NO TEST MADE AT THIS TIME

**WELL DRILLER'S STATEMENT**

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed BOLEY, HENRY, WEECH

Well Driller

By FRED W. HENRY

License No. 210

Dated SEP T. 27, 1956

(Not to be filled in by Driller)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

OFFICE  
STATE ENGINEER

1956 OCT 10 AM 10 18