

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 3654
 Rec. Jan. 27 1957
 Well No.
 Permit No.

Do not fill in

Owner Elmer E. Robinson Driller Harvey Meyer

Address 703 Flood Building, San Francisco, Calif Address 306 Bath St. Carson City Lic. No. 10

Location of well: NW 23 SE 1/4 SW 1/4 Sec. 27, T. 16 N/S, R. 19 E, in Washoe County
 or Pine Cone Road, North Side Lake Tahoe, Nevada

Water will be used for Domestic Total depth of well 115 feet

Size of drilled hole 8 Inch Weight of casing per linear foot 18 lbs

Thickness of casing 3/16 Inch Temp. of water Cool

Diameter and length of casing 8" ID, 115 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing

If nonflowing well give depth of standing water from surface 25 Feet

If flowing well describe control works Not Flowing
(Type and size of valve, etc.)

Date of commencement of well January 3, 1957 Date of completion of well January 6, 1957

Type of well rig 72 Speed Atar, Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	Clay, Sand & Rock
40	45	5	Water Sand
45	90	45	Clay & Rock
90	115	25	Water Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 90 to 115 ft.

Other aquifers.....

First water at 40 feet.

Casing perforated
 from 95 to 115 ft.

Size of perforations
1/8" X 6"



