

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2850
 Rec. July 26 1957
 Well No.
 Permit No.

Do not fill in

Owner Federal Uranium Driller J. N. FITCHER CO.
 Address Rabbit Hole, Nevada Address 190 Moana Lane, Reno, Nev. Lic. No. 232
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 39, T. 32 N/S, R. 2 E, in Pershing County
 or Well #6 - 5 miles south of Rabbit Hole Camp Site in Canyon
 Water will be used for Mining Total depth of well 168'
 Size of drilled hole 6" Weight of casing per linear foot 12.89 lb.
 Thickness of casing .188 Temp. of water
 Diameter and length of casing 6 5/8 x 109'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 52'
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well May 8, 1957 Date of completion of well May 24, 1957
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Sandy clay
7	15	8	Gravel and clay
15	55	40	large gravel and clay
55	60	5	Soft sandstone
60	67	7	Sandy clay
67	130	63	Cemented gravel
130	164	34	Cemented gravel and boulders
164	168	4	Solid grey rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 55 to 60 ft.
 Other aquifers.....
67 - 130

First water at 55 feet.

Casing perforated
 from 50 to 108 ft.

Size of perforations
1/8 x 3

OFFICE
STATE ENGINEER

1957 JUL 26 AM 9 56



