

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 2898 3955
 Rec. Oct. 22 1957
 Well No.
 Permit No. 15183

Do not fill in

Owner Anna G. Wright Driller Dave McNinch

Address 2631 Haynes St., Fort Worth, Texas Address Winnemucca, Nevada Lic. No. 919
Box 585

Location of well: NE 1/4 SW 1/4 Sec 27, T28 N/S, R47 E, in Lander County

Water will be used for Irrigation Total depth of well 128'

Size of drilled hole 14 3/8 Weight of casing per linear foot 23 lbs.

Thickness of casing 10 Ga Temp. of water cold

Diameter and length of casing 14 3/8 128'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 49'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well Sept 18 1957 Date of completion of well Sept. 23, 1957

Type of well rig # 7I Speed Star cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	2	2	silty soil	
2	29	27	dry hard gravel	
29	60	31	clay and gravel	Chief aquifer (water-bearing formation)
60	64	4	fine gravel and sand	from <u>73</u> to <u>81</u> ft.
64	73	9	sticky clay	Other aquifers <u>60 to 64</u>
73	81	8 8	loose clean gravel	
81	128	47	clay and gravel	
				First water at <u>60</u> feet.
				Casing perforated from <u>60</u> to <u>128</u> ft.
				Size of perforations <u>1/4 X 3 slots</u> <u>Approx 40 per ft.</u>



