

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4030  
 Rec. March 20 1958  
 Well No. Basin 90  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner U.S. Bureau of Land Mgmt. Driller Enlee Drilling Co  
 Address Susanville, Calif. Address Susanville, Calif Lic. No 249  
 Location of well: NE 1/4 SE 1/4 Sec 4, T. 22N/S, R. 19E, in Washoe County  
 or \_\_\_\_\_  
 Water will be used for Stock Total depth of well 390  
 Size of drilled hole 6" Weight of casing per linear foot 13 lb  
 Thickness of casing 3/16 Temp. of water \_\_\_\_\_  
 Diameter and length of casing 6", 390 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface ~~360~~ 350  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Feb 12, 1958 Date of completion of well Feb 24, 1958  
 Type of well rig Cable

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	12	12	Soil and sand	
12	47	35	Clay.	
47	110	63	Clay and boulders.	
110	355	245	Hard clay gravel and bldrs	Chief aquifer (water-bearing formation) from <u>360</u> to <u>390</u> ft.
355	390	35	Lava.	Other aquifers <u>none</u>
				First water at <u>360</u> feet.
				Casing perforated from <u>360</u> to <u>390</u> ft.
				Size of perforations <u>3/16 x 3</u>



