

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4049
 Rec. Mar 18 19 58
 Well No.
 Permit No.

Do not fill in

Owner Arthur Carpenter Driller J. B. Reynolds
 Address Fallon Address Fallon Lic. No. 23
 Location of well: NW 1/4 NE 1/4 Sec. 35, T. 18 N/S, R. 29 E, in Churchill County
 or
 Water will be used for stock water Total depth of well 99ft 6"
 Size of drilled hole 6" Weight of casing per linear foot 19lb
 Thickness of casing 3/16" Temp. of water cold
 Diameter and length of casing 6" X 99'6"
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure 3 gpm static head 4 ft.
 If nonflowing well give depth of standing water from surface
 If flowing well describe control works side outlet float valve
 (Type and size of valve, etc.)
 Date of commencement of well Nov. 16, 57 Date of completion of well Nov. 21, 57
 Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	silt
15	20	5	sand
20	55	35	light colored clay
55	70	15	black clay
70	90	20	fine blue sand
90	99	9	blue clay
99	110	11	hyacinth sand & clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 99 to 100 ft.

Other aquifers.....

flow below 100 ft.

First water at 5 feet.

Casing perforated

from none toft.

Size of perforations



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....
License No.....

Dated....., 19.....

(Not to be filled in by Driller)

1958 MAR 4 AM 10 33

STATE ENGINEER
OFFICE