

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. A130
 Rec. June 27 1958
 Well No.
 Permit No.

Do not fill in

Owner Manuel Seguire Driller M. Artlip
 Address 47th St. & 1st St. Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. 287
 Location of well: S.E. 1/4, S.E. 1/4 Sec. 19, T20 N/S, R20 E, in Washoe Washoe County
 or S.W. 1/4 of N.W. 1/4
 Water will be used for Domestic Total depth of well 110 feet
 Size of drilled hole 6" Weight of casing per linear foot 7 lbs.
 Thickness of casing 10 ga. Temp. of water cold
 Diameter and length of casing 6" by 100'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 50 ft.
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well..... Date of completion of well April 18, 1958
 Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	16	16	Sand & clay
16	30	14	Hard sand
30	60	30	Sand & clay
60	65	5	Water sand
65	95	30	Sand & clay
95	97	2	Water sand
97	110	13	Sand & hard clay

Water-bearing Formation, Casing Perforations, Etc.

Water sand

Chief aquifer (water-bearing formation)

from 95 to 97 ft.

Other aquifers 60 to 65 ft.
water sand

First water at 65 feet.

Casing perforated

from 60 to 100 ft.

Size of perforations

4" by 3/8



