


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 4152
 Rec. July 15 1958
 Well No. _____
 Permit No. _____
Do not fill in

Owner Frank Clarke Driller Wayne Burroughs
 Address 4520 Lakeside Drive Address 2171 E. Second Street Lic. No. 257
 Location of well: SW 1/4 Sec. 28, T. 19N/S, R. 20E, in Washoe County
 or _____
 Water will be used for _____ Total depth of well 98'
 Size of drilled hole 6" Weight of casing per linear foot _____
 Thickness of casing 6" O.D. Temp. of water 122°
 Diameter and length of casing 98' 6" O.D. 5-3/4 I.D.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 10'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well July 7, 1958 Date of completion of well July 10, 1958
 Type of well rig _____

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Sandy Clay
20	30	10	Sandy clay some water
30	86	56	Sandy Cly
86	97	11	Sandy clay some water
97	98	1	Sand Water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 97 to 98 ft.

Other aquifers _____

First water at 20' feet.

Casing perforated
 from 86' to 98' ft.

Size of perforations
1/8"

