


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 4236
 Rec. 8-28 1958
 Well No.
 Permit No.
Do not fill in

Owner Mr. Spivey Driller

Address 605 Del Monte Lane Address Lic. No. 257

Location of well: 1/4 1/4 Sec. 6, T18 N/S, R20 E, in Washoe County

Water will be used for Total depth of well 155 ft. 155' filled back to 135'

Size of drilled hole Weight of casing per linear foot

Thickness of casing Temp. of water

Diameter and length of casing 8" - 135 ft. 12" - 22 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 3 ft.

If flowing well describe control works
 (Type and size of valve, etc.)

Date of commencement of well August 5 Date of completion of well August 14

Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Clay
10	14	4	Sand, Gravel, water
14	30	16	Sandy Clay
30	50	20	Clay streaks of sand water
50	95	45	Sandy Clay
95	155	60	Clay

Water-bearing Formation, Casing Perforations, Etc.
35 to 55

Chief aquifer (water-bearing formation)
 from 30 to 50 ft.

Other aquifers 10 to 14

First water at 10 feet.

Casing perforated
 from 35 to 55 ft.

Size of perforations
1/8



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
12"	0	22		Casing Cemented in 0 to 23 ft.
8"	0	155		

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *Wesley Burroughs*
Well Driller

By.....

License No. 257

Dated 8/21, 1955

(Not to be filled in by Driller)

1958 AUG 22 AM 10 56