

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA



Log No. 4261  
 Rec. Sept 22 1958  
 Well No. ....  
 Permit No. 17738  
 Do not fill in

Owner Bullhead Cattle Co. Driller Dave McWinch

Address Winnemucca Nevada Address Winnemucca, Nevada Lic. No. 19

Location of well: NW 1/4 NE 1/4 Sec. 32, T41 N/S, R42 E, in Humboldt County  
 At haycamp in lower ryegrass field at Bullhead ranch on the Little  
 or Humboldt River.

Water will be used for stockwater Total depth of well 80'

Size of drilled hole 8" Weight of casing per linear foot 13 lbs.

Thickness of casing 10 gauge Temp. of water very cold

Diameter and length of casing 8" 48'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works.....  
 (Type and size of valve, etc.)

Date of commencement of well Sept. 8 1958 Date of completion of well Sept. 10 1958

Type of well rig #7I speed Star cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	9	9	blacksoil
9	17	8	sandy clay
17	19	2	sand & very fine gravel
19	24	5	hard cemented gravel
24	44	20	hard sandy clay
44	46	2	fine clean gravel
46	78	32	sticky brown clay
78	80	2	clean small gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 78 to 80 ft.

Other aquifers I7 - I9  
44 1/2 46

First water at I7 feet.

Casing perforated

from I7 to 48 ft.

Size of perforations

I/8 x I I/2 slots



