

WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA

✓ Log No. 4301
Rec. Nov. 3, 19 58
Well No.
Permit No.

Do not fill in

Owner C. W. Berg Driller J. C. Faretto & Son
Address 1550 Clemson Rd; Reno, Nev. Address 736 Humboldt St; Reno Lic. No. 2
Location of well: NW 1/4 SW 1/4 Sec. 12, T. 18 N, R. 19 E, in Truckee Meadows, Washoe County
or Fairview Farms Subdivision, 1 3/4 miles west from Reno-Carson Hwy.
Water will be used for Domestic Total depth of well 125 ft.
Size of drilled hole 6 inch Weight of casing per linear foot 14.97 Lbs.
Thickness of casing .219 of an inch Temp. of water 60°
Diameter and length of casing Diam. O.D. 6 5/8", 9'-05" to 22'-00" lengths
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
If flowing well give flow in c.f.s. or g.p.m. and pressure
If nonflowing well give depth of standing water from surface 94 ft.
If flowing well describe control works
(Type and size of valve, etc.)
Date of commencement of well Sept. 16, 1958 Date of completion of well Oct. 10, 1958
Type of well rig Speed Star 71 Cable Tool Rig.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Rocky, Yellow clay with coarse sand & gravel.
20	43	23	Coarse sand & coarse gravel with yellow clay, Rocky. Stony. Loose.
43	50	7	Rocky. Coarse sand & gravel with red clay.
50	70	20	Pink gray colored country rock ledges with red clay.
70	80	10	Red clay with coarse sand & gravel. Rocks.
80	90	10	Red clay. Soft.
90	98	8	Red clay with coarse sand & rocks,
98	105	7	1st water, Water level 94'-02", Little water, Coarse sand & gravel. Rocky.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 117 to 125 ft.

Other aquifers 113 to 117

98 to 105

First water at 98 feet.

Casing perforated

from 98 to 118 ft.

Size of perforations

3/8" x 1 1/2"



