

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4368  
 Rec. Jan 7 1959  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner Mr Timothy Wolf Driller Fred Est  
 Address Fallon Nev Address E. Star Route Fallon Nev Lic. No. 121  
 Location of well: N.E. 1/4 SW 1/4 Sec. 36, T. 19 N/S, R. 28 E, in Churchill County

Water will be used for Domestic Total depth of well \_\_\_\_\_  
 Size of drilled hole 6 inch Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 30 gauge Galvanized Temp. of water 60°  
 Diameter and length of casing 6 inch casing 25 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 7 ft  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Dec 19, 1958 Date of completion of well Dec 20, 1958  
 Type of well rig Cable Tool well Rig

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Sand
5	7	2	adobe
7	12	5	Sand
12	13	1	adobe
13	17	4	Sand
17	18	1	adobe
18	25	7	Sand

Water-bearing Formation, Casing Perforations, Etc.  
Sand  
 Chief aquifer (water-bearing formation)  
 from 18 to 25 ft.  
 Other aquifers \_\_\_\_\_  
 First water at 7 feet.  
 Casing perforated  
 from 19 to 25 ft.  
 Size of perforations,  
1 x 1/64 inch



