

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Sample No. 4897
 Log No. 44-28
 Rec. Mar. 2 1959
 Well No.
 Permit No.

Do not fill in

Owner W.C. Groves Driller J.N. Pitcher Co.

Address 5102 Home Gardens Drive Reno, Address 190 Moana Lane, Reno Lic. No. 4507

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 31, T. 10 N/S, R. 20 E, in Washoe County
 or Lot 8 Block D Home Gardens Sub. 40' SW on Home Gardens Drive

Water will be used for Domestic Total depth of well 67'

Size of drilled hole 6" Weight of casing per linear foot 10 lbs.

Thickness of casing 3/16" Temp. of water 50

Diameter and length of casing 6" x 68'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 8'

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well 2/17/58 Date of completion of well 2/17/58

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Sandy top soil
3	31	28	Coarse to fine grey brown sand (water here)
31	52	21	Grey Brown Clay
52	67	15	Coarse Brown sand fine gravel (water here)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 52 to 67 ft.
 Other aquifers..... 10' to 31

First water at 10 feet.

Casing perforated
 from 56 to 66 ft.

Size of perforations
1/8" x 6"

Torch Cut



