

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 7527
 Rec. May 5 1959
 Well No.
 Permit No.

Do not fill in

Owner Robert Bassett Driller A. & B. Contractors

Address 236 Sidehill Dr., Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. 287

Location of well: S 1/4 1/4 Sec., T. N/S, R. E, in Washoe County
 or Lot #6 Block B, Sun Valley Subd. #4

Water will be used for domestic Total depth of well 115'

Size of drilled hole 6" Weight of casing per linear foot 7 lbs.

Thickness of casing 10 ga. Temp. of water cold

Diameter and length of casing 6" X 100'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 22'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well Mar. 3, '59 Date of completion of well Mar. 5, '59

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
1	20	20	Rocky clay	
20	60	40	hard brown sand	
60	82	22	light brown clay	Chief aquifer (water-bearing formation)
82	94	12	rock, clay	from <u>82</u> to <u>94</u> ft.
94	97	3	soft rock	Other aquifers.....
97	115	18	hard clay	<u>94 to 97'</u>
				First water at <u>82</u> feet.
				Casing perforated
				from <u>60</u> to <u>100</u> ft.
				Size of perforations
				<u>1/8 X 6"</u>



