

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4549  
 Rec. May 25 1959  
 Well No. 20745  
 Permit No. 20745  
 Do not fill in         

Owner North American Aviation, Inc. Driller Harvey & Bob Meyer  
 Address Los Angeles 45, Calif. Address 306 Bath St. Carson Lic. No. 10  
 Location of well: NW NE SE  $\frac{1}{4}$  Sec. 25, T. 22 N/S, R. 20 E, in Washoe County  
 or 14600 52445 "Bacon Rind Flat" APN 076-162-04 Palomino V. Unit 5 25-2-0-2  
 Water will be used for Domestic Total depth of well 500 feet  
 Size of drilled hole 10 Inch Weight of casing per linear foot 19.64 lbs  
 Thickness of casing .219 or 7/32 Inch Temp. of water 64 Degrees  
 Diameter and length of casing 8 5/8" OD, 427 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing  
 If nonflowing well give depth of standing water from surface 71 feet  
 If flowing well describe control works Not Flowing  
(Type and size of valve, etc.)  
 Date of commencement of well April 13, 1959 Date of completion of well May 18, 1959  
 Type of well rig 72 Speed Star Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	73	73	Clay
73	77	4	Sand
77	92	5	Clay
92	94	2	Sand
94	120	26	<del>Clay</del> Clay
120	190	70	Sand
190	193	3	Sand & <del>Clay</del> Clay
193	207	14	Sand
207	221	14	Sand & Clay
221	228	7	Sand, Clay & Rock
228	249	21	Sand
249	252	3	Rock
252	255	3	Sand & Clay
255	279	24	Sand
279	311	32	Sand, Clay & Rock
311	323	12	Rock
323	339	16	Blue Clay & Rock
339	343	4	Chalk
343	452	109	White Rock
452	468	16	Hard White Rock
468	500	32	Hard Blue Rock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 427 to 500 ft.

Other aquifers.....

---

First water at 73 feet.

---

Casing perforated

from 400 to 422 ft.

380 to 115

---

Size of perforations

1/4" X 4"

Mills

