

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA



Log No. 4579  
 Rec. June 8 1959  
 Well No. ....  
 Permit No. ....

Do not fill in

Owner John F. Barney Driller J.C. Faretto & Son  
 Address 1195 Princeton Dr. Reno, Nev. Address 736 Humboldt St. Reno Lic. No. 2  
 Location of well: NE 1/4 NE 1/4 Sec. 3, T. 17 N, R. 20 E, in Truckee Meadows, Washoe County  
 or 2 miles east on the old Geiger Grade Road from Reno-Carson Hwy.  
 Water will be used for Domestic Total depth of well 118 ft.  
 Size of drilled hole 6 inch Weight of casing per linear foot 12.89 lbs  
 Thickness of casing .188 of an inch Temp. of water 62°  
 Diameter and length of casing Diam. O.D. 6 5/8", 12'-07" to 8'-00" lengths  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 59'-02"  
 If flowing well describe control works.....  
 (Type and size of valve, etc.)  
 Date of commencement of well May 7, 1959 Date of completion of well May 20, 1959  
 Type of well rig Speed Star 71 Cable Tool Rig

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Yellow clay with sand. Rocks.
7	10	3	Fine to coarse black sand & light colored gravel. Rocks.
10	40	30	Yellow clay with fine sand, rocky.
40	70	30	Yellow clay with fine to coarse sand, rocky.
70	75	5	1st water. Water level 59'-00". Yellow clay with coarse sand & gravel. Rocky.
75	80	5	Boulder, Yellow clay.
80	90	10	2nd water. Little water. Coarse sand & gravel with a brown colored soil material.
90	100	10	3rd water. Water level 59'-00". Little water. Fine to coarse sand & gravel with a brown

Water-bearing Formation, Casing Perforations, Etc.  
 Chief aquifer (water-bearing formation)  
 from 100 to 118 ft.  
 Other aquifers 90 to 100  
80 to 90  
 First water at 70 feet.  
 Casing perforated  
 from 80 to 108 ft.  
 Size of perforations  
3/8" x 1 1/2"

(OVER)



